



PERMIT NO. _____

DATE _____

BUILDING PERMIT—DEMO

11800 TOWN CENTER DRIVE NE, SUITE 300 - ST. MICHAEL, MN 55376

PHONE: 763-497-9923 EMAIL: INSPECTIONS@STMICHAELMN.GOV

CONTRACTOR'S LICENSE NUMBER	FEEES
SITE ADDRESS	PERMIT FEE _____
LEGAL DESCRIPTION	PLAN CHECK FEE _____
SECTION _____ LOT _____ BLOCK _____	PENALTY FEE _____
ADDITION _____	ENGINEERING FEE _____
OWNER (Name) (Address) (Tel. No.)	OTHERS _____
CONTRACTOR (Name) (Address) (Tel. No.)	CONTRACTORS LICENSE _____
APPLICANT EMAIL ADDRESS	TOTAL FEE _____
TYPE OF STRUCTURE AND SIZE	
ESTIMATED VALUE OF PROJECT	COMPLETION DATE
LIST EXISTING ITEMS ON SITE. CHECK ALL THAT APPLY: <input type="checkbox"/> WELL ON SITE <input type="checkbox"/> SEPTIC SYSTEM: TYPE _____ <input type="checkbox"/> SEPTIC TANKS	
PROVIDE ABANDONMENT FORM FOR SEPTIC SYSTEM, SEPTIC TANKS AND WELL ABANDONMENT RECORD FOR MINNESOTA DEPARTMENT OF HEALTH. MUST ALSO COMPLETE MINNESOTA POLLUTION CONTROL AGENCY NOTIFICATION OF INTENT TO PERFORM A DEMOLITION FORM AND SUBMIT TO: <div style="text-align: center;"> MINNESOTA POLLUTION CONTROL AGENCY MUNICIPAL DIVISION 520 LAFAYETTE ROAD NORTH ST. PAUL, MN 55155-4194 </div> FOR QUESTIONS REGARDING MPCA FOR CALL: <div style="text-align: center;"> 651-296-6300 OR 1-800-657-3864 </div>	CODE ANALYSIS
	TYPE OF CONSTRUCTION _____
	USE OF BUILDING _____
	OCCUPANCY GROUP _____
	OCCUPANCY LOAD _____

APPLICANT SIGNATURE _____

PLANNING SIGNATURE _____

APPROVED BY BUILDING OFFICIAL: _____ DATE: _____

Deconstruction, renovation, or demolition notification form

Asbestos Program

Doc Type: Asbestos & Demolition/Amendments

Type of notification: Original Amended Project cancellation

Notification is required for all NESHAP-regulated facilities, as defined in [40 CFR § 61.141](#), and the notification must be postmarked or received ten (10) working days before renovation, deconstruction, or demolition begins. See Item 5 for emergency demolition projects. If the project dates change, submit an amended form with an updated start and end dates to reflect current project dates.

Submittal: Notifications may be made electronically (preferred) or by paper copy. To submit this form electronically, save the form to your computer and send the form to the Minnesota Pollution Control Agency (MPCA) by attaching the form to an email message, using *Deconstruction, renovation, or demolition notification form (w-sw4-21)* as the subject line to asbestos.demolition.pca@state.mn.us. To submit the form by paper copy, please mail to the Asbestos Program at the address above. If you have any questions, contact the MPCA Asbestos Program Coordinator, Colin Boysen at colin.boysen@state.mn.us or 507-206-2644.

Important Note: Ensure you are in compliance with Minn. R. 7035.0805 prior to the commencement of the deconstruction, renovation or demolition project. This rule requires that the following items be removed two days prior to demolition: mixed municipal solid waste; household hazardous waste; industrial or hazardous waste; waste tires; major appliances; items containing elemental mercury, Poly-Chlorinated BiPhenyls (PCBs), and chlorofluorocarbons (CFCs); oil; lead; electronics; and other prohibited items. See MPCA website at <http://www.pca.state.mn.us/publications/w-sw4-20.pdf> for a *Pre-Renovation/ Demolition Environmental Checklist Guidance Document* to assist with completion of this rule.

*Demolition waste must be disposed of at a permitted solid waste facility. MPCA encourages consideration of building material reuse and recycling before demolition/disposal at a permitted solid waste facility, as outlined in in Minn. Stat. 115A.02, which establishes preferred management methods based on environmental impact.

Note that some questions are **optional**. For more information on deconstruction/material salvage and reuse, please contact MPCA Sustainable Building Material Management staff: demo.mpca@state.mn.us.

Renovation, deconstruction, and/or demolition contractor

If there is more than one contractor, please see last page (**optional**).

Contractor

Name of firm or organization: _____

Mailing address: _____

City: _____ State: _____ Zip code: _____

Contact: _____ Phone: _____ Email: _____

Building owner

Name of owner: _____

Mailing address: _____

City: _____ State: _____ Zip code: _____

Contact: _____ Phone: _____ Email: _____

Building information

Name of building, if applicable: _____

Address/location: _____ County: _____

City: _____ State: _____ Zip code: _____

Contact: _____ Phone: _____ Email: _____

Year built _____ Size of building: _____ Sq. ft. Number of floors, including basement level(s): _____

Prior use of building _____

Present use of building _____

Future use of building, if applicable: _____

Dates of renovation, deconstruction or demolition: Start date: _____ End date: _____
(mm/dd/yyyy) (mm/dd/yyyy)

Provide a brief description of the planned demolition or renovation & anticipated removal method(s):
Optional for deconstruction

If the activity was ordered by a government agency, please identify the agency and attach a copy of the order:

Name: _____ Title: _____

Authority: _____

Date of order (mm/dd/yy): _____ Start date (mm/dd/yy): _____

*Notification for an emergency demolition must be submitted as early as possible before demolition begins, but not later than the following working day. A demolition is considered an emergency **only** when the facility has been deemed structurally unsound and in danger of imminent collapse. If the structurally unsound building is known to contain any regulated Asbestos Containing Material (ACM) or is suspected to contain any regulated ACM, special procedures **must** be followed. If you are unaware of the special procedures, instructions/ regulations can be obtained by contacting the MPCA at the phone numbers listed below. Refer to 40 CFR 61.145(a)(3) for additional information.*

If the ACM will become crumbled, pulverized, or reduced to powder during the demolition process it must be removed prior to demolition activities.

Is nonfriable ACM present in the structure to be demolished? Yes No

Will nonfriable ACM be present in the structure at the time of demolition? Yes No

If Yes to either question above, complete Items 1-9. If No to both questions, complete Items 3-9.

1. If ACM will be left in place, indicate the amount of Category I and/or Category II nonfriable ACM left in place.

Category I: _____ Linear feet
_____ Square feet
_____ Cubic feet

Category II: _____ Linear feet
_____ Square feet
_____ Cubic feet

Category I nonfriable ACM means asbestos-containing packings, gaskets, resilient floor covering, and asphalt roofing products containing more than one percent asbestos.

Category I nonfriable ACM is not allowed to remain in place for demolition if it is in poor condition.

Category II nonfriable ACM means any material, excluding Category I nonfriable ACM, containing more than one percent Asbestos that, when dry, cannot be crumbled, pulverized, or reduced to a powder by hand pressure.

Category II nonfriable ACM is not allowed to remain in place for demolition if it has a high probability of becoming crumbled, pulverized, or reduced to a powder during demolition, transport, or disposal (e.g., transite, cement, slate roofing).

2. Description and location of ACM remaining in place (including number of floors and rooms):

3. Company and/or individual that conducted the building inspection and the procedure used to determine the presence or absence of ACM (including analytic method).

Note: Prior to demolition all structures must be inspected by a licensed asbestos inspector who has been certified through the Minnesota Department of Health.

4. Description of procedure to be followed in the event that unexpected RACM is found or Category II nonfriable ACM becomes crumbled, pulverized or reduced to powder:

5. a. Were any materials assessed for salvaging/reuse or for recycling? (optional) Yes No

b. If yes, which ones?

c. Structure/building material management methods (optional). Use this section to describe the destination or end use of the materials

Material	Management method (Reused/salvaged, recycled, sent to landfill, etc.)	Company/Organization	Location (City/township, State)
Concrete:			
Masonry:			
Ferrous metals:			
Non-ferrous metals			
Whole items*			
Wood			
Miscellaneous**			

*Example: fixtures, whole doors, etc.

**Miscellaneous materials include shingles, drywall, carpet, etc.

6. Waste transporter information

Transporter name: _____

Mailing address: _____

City: _____ State: _____ Zip code: _____

Contact: _____ Phone: _____ Email: _____

7. Permitted waste disposal site information (*see below for more information)

Facility name: _____

Mailing address: _____

City: _____ State: _____ Zip code: _____

Contact: _____ Phone: _____ Email: _____

Contractor signature: By typing my name below, I certify that the above information is correct and I am a bonafide representative of the demolition contractor or building owner and have authority to enter into agreements for my employer.

By typing/signing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Signature: _____ Title: _____

(This document has been electronically signed.)

Date (mm/dd/yyyy): _____

Building owner signature optional: By typing my name below, I certify that I approve of the building material management system outlined by the contractor.

By typing/signing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Signature: _____ Title: _____

(This document has been electronically signed.)

Date (mm/dd/yyyy): _____

A copy of this form should be sent to the local governing authority. Has a copy been sent? Yes No

Check local ordinances if submittal is required; otherwise optional.

*Minn. R. 7035.0805 states lead paint not firmly adhered to the substrate is required to be removed prior to demolition or renovation. For purposes of this item, "lead paint" means a coating that contains one-half of one percent (0.5 percent) or more or 5,000 parts per million (5,000 ppm) or more of total lead by weight in the dried film, as determined by acid digestion and analysis, or contains one milligram per square centimeter (1.0 mg/cm²) or more of lead, as determined by X-ray fluorescence analyzer; MPCA encourages the proper management of lead based paint.

If there's more than one contractor on this project, please list them here **(optional)**.

Contractor

Name of firm or organization: _____

Mailing address: _____

City: _____ State: _____ Zip code: _____

Contact: _____ Phone: _____ Email: _____

Contractor

Name of firm or organization: _____

Mailing address: _____

City: _____ State: _____ Zip code: _____

Contact: _____ Phone: _____ Email: _____